Metal film resistors

MRS16/25

FEATURES

- · Precision resistors in small outlines
- · Low noise.

APPLICATIONS

• All general purpose applications.

DESCRIPTION

A homogeneous film of metal alloy is deposited on a high grade ceramic body. After a helical groove has been cut in the resistive layer, tinned connecting wires of electrolytic copper are welded to the end-caps.

The resistors are coated with a green lacquer which provides electrical, mechanical, and climatic protection. The encapsulation is resistant to all cleaning solvents in accordance with "MIL-STD-202E", method 215, and "IEC 68-2-45".

QUICK REFERENCE DATA

DESCRIPTION	VALUE			
DESCRIPTION	MRS16S	MRS25		
Resistance range	4.99 Ω to 1 MΩ	1 Ω to 10 MΩ		
Resistance tolerance and series	±1%; E24/	E96 series		
Maximum dissipation at T _{amb} = 70 °C	0.4 W	0.6 W		
Thermal resistance (R _{th})	170 K/W	150 K/W		
Temperature coefficient	≤ ±50 ×	10 ⁻⁶ /K		
Maximum permissible voltage (DC or RMS)	200 V	350 V		
Basic specifications	IEC 115-1	IEC 115-1 and 115-2		
Climatic category (IEC 68)	55/155/56			
Stability after:				
load:				
R ≤ 100 kΩ	Δ R/R max.: $\pm 0.5\%$ +0.05 Ω	Δ R/R max.: ±0.5% +0.05 Ω		
R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω Δ R/R max.: ±0.5% +0.0			
climatic tests:				
R ≤ 100 kΩ	Δ R/R max.: ±0.5% +0.05 Ω	Δ R/R max.: ±0.5% +0.05 Ω		
R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω Δ R/R max.: ±0.5% +0			
soldering:				
R ≤ 100 kΩ	Δ R/R max.: ±0.1% +0.05 Ω	Δ R/R max.: ±0.1% +0.05 Ω		
R > 100 kΩ	Δ R/R max.: ±0.25% +0.05 Ω	Δ R/R max.: ±0.1% +0.05 Ω		
short time overload	Δ R/R max.: $\pm 0.25\%$ +0.05 Ω	Δ R/R max.: ±0.25% +0.05 Ω		

1997 Nov 12

Metal film resistors

MRS16/25

ORDERING INFORMATION

Table 1 Ordering code indicating resistor type and packaging

	ORDERING CODE 2322			
TYPE	BANDOLIER I	BANDOLIER ON REEL		
	1000 units	5000 units	5000 units	
MRS16S	157 1	157 2	157 3	
MRS25	156 1	156 2	156 3	

Ordering code (12NC)

- The resistors have a 12-digit ordering code.
- The first 8 digits indicate the resistor type and packaging; see Table 1.
- The remaining 4 digits indicate the resistance value:
 - The first 3 digits indicate the resistance value.
 - The last digit indicates the resistance decade in accordance with Table 2.

Table 2 Last digit of 12NC

RESISTANCE DECADE	LAST DIGIT
1 to 9.76 Ω	8
10 to 97.6 Ω	9
100 to 976 Ω	1
1 to 9.76 kΩ	2
10 to 97.6 kΩ	3
100 to 976 kΩ	4
1 to 9.76 MΩ	5
10 ΜΩ	6

ORDERING EXAMPLE


The ordering code of a MRS16 resistor, value 750 Ω , on a bandolier of 1000 units in ammopack is: 2322 157 17501.

Metal film resistors MRS16/25


FUNCTIONAL DESCRIPTION

Product characterization

Standard values of nominal resistance are taken from the E24/E96 series for resistors with a tolerance of $\pm 1\%$. The values of the E24/E96 series are in accordance with "IEC publication 63".



Metal film resistors MRS16/25



Metal film resistors MRS16/25

Limiting values

TYPE	LIMITING VOLTAGE ⁽¹⁾ (V)	LIMITING POWER (W)
MRS16S	200	0.4
MRS25	350	0.6

Note

1. The maximum voltage that may be continuously applied to the resistor element, see *"IEC publication 115-1"*.

The maximum permissible hot-spot temperature is 155 °C.

DERATING

The power that the resistor can dissipate depends on the operating temperature; see Fig.3.





Fig.3 Maximum dissipation (P_{max}) in percentage of rated power as a function of the ambient temperature (T_{amb}).


Metal film resistors

MRS16/25

PULSE LOADING CAPABILITIES




function of pulse duration (t_i).




6

1997 Nov 12

Metal film resistors MRS16/25








Metal film resistors


MRS16/25

Application information









Metal film resistors

MRS16/25

MECHANICAL DATA

Mass per 100 units

TYPE	MASS (g)	
MRS16S	11	
MRS25	25	

Marking

The nominal resistance and tolerance are marked on the resistor using five coloured bands in accordance with IEC publication 62 "Colour codes for fixed resistors".

Outlines

The length of the body (L_1) is measured by inserting the leads into holes of two identical gauge plates and moving these plates parallel to each other until the resistor body is clamped without deformation *("IEC publication 294")*.




 Table 3
 Resistor type and relevant physical dimensions; see Fig.12

TYPE	ØD MAX. (mm)	L ₁ TYP. (mm)	L ₂ MAX. (mm)	Ød (mm)
MRS16S	1.9	3.2	3.4	0.45
MRS25	2.5	6.5	7.0	0.6

Metal film resistors MRS16/25

TESTS AND REQUIREMENTS

Essentially all tests are carried out in accordance with the schedule of "IEC publication 115-1", category LCT/UCT/56 (rated temperature range: Lower Category Temperature, Upper Category Temperature; damp heat, long term, 56 days). The testing also covers the requirements specified by EIA and EIAJ.

The tests are carried out in accordance with IEC publication 68,

"Recommended basic climatic and mechanical robustness testing procedure for electronic components" and under standard atmospheric conditions according to "IEC 68-1", subclause 5.3.

Unless otherwise specified the following values apply:

Temperature: 15 °C to 35 °C Relative humidity: 45% to 75% Air pressure: 86 kPa to 106 kPa (860 mbar to 1060 mbar).

In Table 4 the tests and requirements are listed with reference to the relevant clauses of "IEC publications 115-1 and 68", a short description of the test procedure is also given. In some instances deviations from the IEC recommendations were necessary for our method of specifying.

All soldering tests are performed with mildly activated flux.

Table 4 Test procedures and requirements

IEC 115-1	IEC 68-2			REQUIREMENTS			
CLAUSE	TEST METHOD	TEST	PROCEDURE	MRS16S	MRS25		
Tests in ac	Tests in accordance with the schedule of IEC publication 115-1						
4.4.1		visual examination		no holes; clean su	rface; no damage		
4.4.2		dimensions (outline)	gauge (mm)	see Ta	able 3		
4.5		resistance	applied voltage (+0/-10%):	R – R _{nom} : max. ±1%			
			R < 10 Ω: 0.1 V				
			10 Ω ≤ R < 100 Ω: 0.3 V				
			100 Ω ≤ R < 1 kΩ: 1 V				
			1 kΩ ≤ R < 10 kΩ: 3 V				
			10 kΩ ≤ R < 100 kΩ: 10 V				
			100 kΩ ≤ R < 1 MΩ: 25 V				
			1 MΩ ≤ R: 50 V				
4.18	Tb	resistance to soldering heat	thermal shock: 3 s; 350 °C; 6 mm from body:				
			R ≤ 100 kΩ	ΔR/R max.: ±0	0.1% +0.05 Ω		
			R > 100 kΩ	ΔR/R max.:	ΔR/R max.:		
				±0.25% +0.05 Ω	±0.1% +0.05 Ω		
4.29	45 (Xa)	component solvent resistance	isopropyl alcohol or H ₂ O followed by brushing in accordance with "MIL 202 F"	no visual damage			
4.17	Та	solderability	2 s; 235 °C	good tinning	; no damage		
4.7		voltage proof on insulation	voltage (RMS) during 1 minute, metal block method: 400 V for MRS16S, 700 V for MRS25	no breakdowi	n or flashover		

Metal film resistors

MRS16/25

IEC 115-1 IEC 68-2				REQUIREMENTS	
CLAUSE	TEST DUNCENTIDE		PROCEDURE	MRS16S	MRS25
4.13		short time overload	room temperature; $P=6.25\times P_n \text{ (MRS25)} \text{ or } \\ 6.25\times 0.25 \text{ W (MRS16S)}; \\ (\text{V} \leq 2\times \text{V}_{\text{max}}); 5 \text{ s on } 45 \text{ s off,} \\ 10 \text{ cycles}$	ΔR/R max.: ±0.25% +0.05 Ω	
4.16	U	robustness of terminations:			
4.16.2	Ua	tensile all samples	load 10 N; 10 s	number of failu	res $< 10 \times 10^{-6}$
4.16.3	Ub	bending half number of samples	load 5 N; 4 × 90°	number of failu	res $< 10 \times 10^{-6}$
4.16.4	Uc	torsion other half of samples	3 × 360° in opposite directions	no da	_
4.00	Fi.	·	0. 4500 h		0.1% +0.05 Ω
4.20	Eb	bump	3 × 1500 bumps in 3 directions; 40 g	no da Δ R/R max.: \pm	mage 0.1% +0.05 Ω
4.22	Fc	vibration	frequency 10 to 500 Hz; displacement 1.5 mm or acceleration 10 g; 3 directions; total 6 hours (3 × 2 hours)	no damage Δ R/R max.: ±0.1% +0.05 Ω	
4.19	14 (Na)	rapid change of temperature	30 minutes at LCT and 30 minutes at UCT; 5 cycles:	no visual damage	
			R ≤ 100 kΩ	Δ R/R max.: ±	0.1% +0.05 Ω
			R > 100 kΩ	Δ R/R max.: $\pm 0.25\%$ +0.05 Ω	Δ R/R max.: ±0.1% +0.05 Ω
4.23		climatic sequence:			
4.23.3	30 (D)	damp heat (accelerated) 1st cycle			
4.23.6	30 (D)	damp heat	6 days; 55 °C; 95 to 98% RH:	R_{ins} min.: 10^3 $M\Omega$	
		(accelerated)	R ≤ 100 kΩ	Δ R/R max.: ±	0.5% +0.05 Ω
		remaining cycles	R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω	Δ R/R max.: ±0.5% +0.05 Ω
4.24.2	3 (Ca)	damp heat (steady state) (IEC)	56 days; 40 °C; 90 to 95% RH; loaded with 0.01 P _n (IEC steps: 4 to 100 V):		
			R ≤ 100 kΩ	Δ R/R max.: ±	0.5% +0.05 Ω
			R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω	Δ R/R max.: ±0.5% +0.05 Ω
4.25.1		endurance (at 70 °C)	1000 hours; loaded with P _n or V _{max} ; 1.5 hours on and 0.5 hours off:		
			R ≤ 100 kΩ	Δ R/R max.: ±0.5% +0.05 Ω	
			R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω	Δ R/R max.: $\pm 0.5\% + 0.05 \Omega$

Metal film resistors MRS16/25

IEC 115-1 IEC 68-2				REQUIREMENTS	
CLAUSE	TEST PROCEDURE	MRS16S	MRS25		
4.23.2	27 (Ba)	endurance at upper	1 000 hours; no load:		
		category temperature	R ≤ 100 kΩ	Δ R/R max.: \pm	0.5% +0.05 Ω
			R > 100 kΩ	Δ R/R max.: ±1% +0.05 Ω	Δ R/R max.: $\pm 0.5\%$ +0.05 Ω
4.8.4.2		temperature coefficient	at 20/LCT/20 °C and 20/UCT/20 °C (TC × 10 ⁻⁶ /K)	≤ ±50 × 10 ⁻⁶ /K	
Other tests	s in accorda	ance with IEC 115 clau	ses and IEC 68 test method		
4.17	20 (Tb)	solderability (after ageing)	8 hours steam or 16 hours 155 °C; leads immersed 6 mm for 2 ±0.5 s in a solder bath at 235 ±5 °C	good tinning (≥95% covered); no damage	
4.6.1.1		insulation resistance	voltage (DC) after 1 minute, metal block method: 100 V for MRS16S, 500 V for MRS25	R_{ins} min.: 10^4 $M\Omega$	
4.12		noise	IEC publication 195 (measured with Quantech - equipment):		
			R ≤ 68 kΩ	max. 0.1 μV/V	max. 0.1 μV/V
			R ≤ 100 kΩ	max. 0.5 μV/V	max. 0.1 μV/V
			R ≤ 1 MΩ	max. 1.5 μV/V	max. 0.1 μV/V
			R > 1 MΩ	max. 1.5 μV/V	max. 1.5 μV/V
see 2 nd ame "IEC 115-1"		pulse load		see Figs 4 and 5	see Figs 6 and 7