

## 2341

ORIGINAL | Lamps with glass wedge bases



### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

### Product benefits

- OEM Quality
- Wide product range
- Reliable quality

### Product features

- Original spare parts

## Product datasheet

### Technical data


#### Electrical data

Power input	1 W
Nominal voltage	24.0 V
Nominal wattage	1.00 W
Power input tolerance	±8 %
Test voltage	28.0 V

#### Photometrical data

Luminous flux	3 lm
Luminous flux tolerance	±25 %

#### Dimensions & weight



Length	20.0 mm
Diameter	5 mm
Product weight	0.40 g

#### Lifespan

Lifespan B3	300 h
Lifespan Tc	1000 h

#### Additional product data

Base (standard designation)	W2x4.6d
-----------------------------	---------

#### Certificates & standards

ECE category	-
--------------	---

#### Country specific categorizations

## Product datasheet

<b>Order reference</b>	2341
------------------------	------

---

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK number</b>	<b>UK Org</b>
4008321132529	OSRA2341	-	4739278	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321132529	2341	Unpacked 1	11 mm x 7 mm x 7 mm	0.00 dm <sup>3</sup>	1.00 g
4008321132536	2341	Folding carton box 10	26 mm x 46 mm x 113 mm	0.14 dm <sup>3</sup>	15.00 g
4008321132543	2341	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm <sup>3</sup>	105.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.