


PRODUCT DIMENSIONS


C-3036-7 700°F screwdriver

Cross Reference: Weller PTC7 10 Units/Case




C-3036-8 800°F screwdriver

Cross Reference: Weller PTC8 10 Units/Case



C-3036-9 900°F screwdriver

Cross Reference: Weller PTC9 10 Units/Case




C-3039-7 700°F screwdriver

Cross Reference: Weller PTA7, Weller PTR7 10 Units/Case




C-3039-8 800°F screwdriver

Cross Reference: Weller PTA8, Weller PTR8 10 Units/Case




C-3040-7 700°F screwdriver

Cross Reference: Weller PTB7 10 Units/Case



C-3040-8 800°F screwdriver

Cross Reference: Weller PTB8 10 Units/Case



C-3100-7 700°F screwdriver

Cross Reference: Weller PTH7, Weller PTJ7 10 Units/Case



C-3100-8 800°F screwdriver

Cross Reference: Weller PTH8, Weller PTJ8 10 Units/Case



C-462-7 700°F conical

Cross Reference: Weller PTP7, Weller PTT7 10 Units/Case



C-462-8 800°F conical

Cross Reference: Weller PTP8 10 Units/Case



C-494-7 700°F long conical

Cross Reference: Weller PTS7 10 Units/Case



C-494-8 800°F long conical

Cross Reference: Weller PTS8, Weller PTT8 10 Units/Case



C-5141-7 700°F bevel

Cross Reference: Weller PTCC7, Weller PTDD7 10 Units/Case



C-5141-8 800°F bevel

Cross Reference: Weller PTCC8, Weller PTDD8 10 Units/Case



C-5141-9 900°F bevel

Cross Reference: Weller PTCC9, Weller PTDD9 10 Units/Case

